













Securing the Access

- Barriers, Bollards & Road Blockers
- Gates & Door Openers
- Parking Management & Parking Guidance Systems

Somfy Group Companies

O&O MOTION TECHNOLOGY

BFT Be ahead

sacz easy access

somfy®

- More than 40 years of experience
- Present in 54 countries
- 43,000 motors per day
- More than 450 patents since 2000
- 220 million end users worldwide
- 11 production sites throughout the world
- 7000 Employees



Comfort
Security
Energy Saving



Bollards



The primary objective for Somfy 0&0 bollards is to put in a safe way to Access.
Ideal for:

- Hotels
- Strategics Installations:
  - Airports
  - Defense
  - Government Building
  - Industrial etc.

Somfy 0&0 automatic, gas actuated and fixed bollards are specially designed to adapt perfectly in the existing spaces.

- Wide Range
- Simplicity
- Reliability
- Flexibility to meet every need



OUR STRENGTHS ARE:

- Engineering Expertise
- Innovative Design
- Simplified Installation
- Anti-Debris System
- Performance
- Safety
- Maintenance


The Hydraulic Bollard Grizzly



For intensive use, tested over 2,000 manoeuvers a day, the hydraulic bollard Grizzly is extremely easy to maintain with the square shaped flange and the attractive design.

With its hydraulic technology Grizzly requires less digging for installation.

General overall size





Technical characteristics

- 230 Vac 50 Hz supply voltage
- Rise time: ~ 6.8s; Lowering time: ~ 4.1s
- Safety valve that reverses the direction if an obstacle is detected
- Bollard available also in the special safety version "SCT", which in the event of a blackout keeps the cylinder up
- IP 67 protection level
- Working temperature from -15 °c to + 60 °c and -40 °c + 60 °c with "TERMON" integrated ed heating circuit
- Cylinder in RAL 7031 painted iron or stainless steel with cylinder thickness 10 mm
- External control unit module CDS-K able to manage up to 4 bollards
- Automatic hand-manoeuvers in the event of a blackout except the "SCT" version
- For intensive use - 2,000 manoeuvers a day
- Break in resistance upto 6,67,000 Joule.

www.somfy.co.in

Somfy India Pvt. Ltd.

New Delhi

CORPORATE & DELHI OFFICE
S4, 2nd floor, Genesis Complex,
A-32, Mohan Cooperative Industrial Estate,
Mathura Road, New Delhi - 110044
Tel.: +91 11 46 11 15 55
Fax.: +91 11 46 11 15 00
Email: india@somfy.com

Bangalore

No.604, 6th Floor,
Prestige Meridian – 1, No.29 MG Road,
Bangalore - 560 001
Tel: 91 80 40 26 92 55

Mumbai

Unit number 409, Summit Business Bay
Andheri – Kurla Road, Near WEH Metro, Opp.
PVR Cinema, Gundavali, Andheri East,
Mumbai Maharashtra - 400093
Tel: 91 22 65 56 39 90

LOCAL PRESENCE

Ahmedabad

COPYRIGHT © SOMFY INDIA PRIVATE LIMITED

somfy®

sac2 easy access

BFT Be ahead

O&O MOTION TECHNOLOGY